





Business Can be simple

The new 1700 SERIES imageRUNNER

- your multifunctional office companion.

The imageRUNNER 1700 series is the perfect fit for your office document needs. It is a printer, a color scanner, a fax machine all in one powerful and compact device. With exceptional print and scanning speeds of up to 30/40/50 pages per minute, the imageRUNNER 1700 series boasts both velocity and versatility.

So if you are looking for a multifunction device to match the pace of your productivity, look no further than the imageRUNNER 1700 series.



Compact yet powerful, the imageRUNNER 1700 series is equipped with many features usually available on the bigger A3 multifunction devices. It includes built-in Ethernet for network capabilities, USB 2.0 connectivity for direct scan-to and print-from memory media, as well as card-based authentication support for enhanced security.

right back to printing quickly. The result is higher productivity and return on investment, with lower environmental impact and total cost of ownership.

Large, intuitive 5.7" touch screen LCD offers enhanced usability from the first touch. The high-contrast monochrome screen hosts a user-friendly interface that lets you switch between the menus and functions effortlessly. The tilt-table panel ensures a clear sight of the control from a wide range of viewing angles.

High paper capacity starts at 650 sheets default, upgradable to a maximum of 2,300 sheets without increasing device footprint. This ensures an uninterrupted paper flow for the most demanding of print jobs.

Easy replacement of consumables minimizes downtime so you can get











Multiply your productivity with COPY features.

Standard Automatic Document Feeder

Every imageRUNNER 1700 series device is equipped with an automatic document feeder, making it more convenient and productive when copying multiple document pages.

Finishing Features

The imageRUNNER 1700 series comes standard with the ability to group or collate your paper output. With an optional upgrade Stapler Finisher-H1, you can also automatically staple grouped documents or have the paper positions for each set slightly offset.

Enhanced Auto-Magnification

imageRUNNER 1700 series offers a wide zoom ratio range of 25% - 400%. Enlarge or reduce contents to fit your desired paper size automatically at the touch of a button. This helps to eliminate guesswork while promoting cost savings.

2 On 1





Original

10000

.....

Contents fit to page

Identification Card Copy

SCAN/OPTIONS

eady to copy.

Auto

Syste

oer Select

2-Sideo

100%

inishing

Copy Ratio

> Making copies of ID cards is easy when you use the ID Card Copy function. Both sides of the card will be scanned before they are printed on a single side of the paper.

ապատրություն


01. Scan front of card 02. Scan back of card


card 03.



Combine Multiple Originals onto One Sheet

This feature allows you to automatically reduce and repaginate multiple-page originals and bound originals to fit on a sheet of paper. It significantly reduces the number of pages used and filing space, delivering cost efficiency.









Duplex Printing

Duplex printing is available as default, so you can perform two-sided printing on your imageRUNNER and reduce paper costs by as much as 50%.



Print two pages on a single piece of paper to save precious resources

Integrated Network Printing

The new imageRUNNER 1700 series can be seamlessly connected to your office network as a network printer. With support for IPv6, these devices are also ready to meet your future network infrastructure requirements.




Standard network printing capability

Convenient Direct USB Memory Printing

With standard USB input, you can walk up to the device and print JPEG and TIFF files with your USB memory media on the spot.

Enhanced Digital Print

The new imageRUNNER 1700 series features a standard print capability of 1200 x 1200 dpi with Canon's innovative Ultra Fast Rendering II LT (UFR II LT) printing technology. It is an ideal blend of speed and simplicity for professional looking documents. Optional support for PCL5e/6 and PostScript are also available.



Communicate confidently with NETWORK & SCAN features.

Color Network ScanGear

With Color Network ScanGear, you can easily edit or modify scanned images at your own workstation and create crisp, clear, and detailed colored images by utilizing the network in your office. There is no need for standalone scanners or dedicate a PC to a scanner, saving precious time and resources.

Distribute anywhere with Color Send

Sending of documents to your desired destinations can now be performed in a single operation. Just scan the originals and transmit them electronically to email addresses, shared folders, desktop PCs or faxes**, and in various file formats such as PDF, JPEG and TIFF.

PDF FILF

FORMAT

300 dpi B/W Scan

File Size: 768 KB

* Color Send is standard for imageRUNNER 1730i/1740i/1750i; imageRunner1730 requires optional upgrade for this feature.

** Installation of optional fax board is required.



PDF High Compression Mode

Canon's innovative PDF High Compression Mode enables you to compress the file size of color images to approximately 1/10th the size of the original size while maintaining image quality.

Color Send with High-Compression Mode "PDF (Compact)" Original: 11" x 17" Hard-copy, Color Graphic with Text

Original. TT X T7 Hald-copy, Color Graphic with lext





 PDF FILE → FORMAT
300 dpi Color Scan
File Size: 7,561 KB



(COMPACT)

High-quality Image Output Minimal File Size

Searchable PDF

With the optional Searchable PDF Kit, you can create a Searchable PDF by enabling a scanned image to be text searchable. This reduces the time taken to search for keywords, especially within lengthy documents.

Scan and store directly to USB memory media

The new imageRUNNER 1700 series offers a new level of convenience with direct scan to USB memory media. You can convert paper documents to PDF, JPEG or TIFF formats and save them directly into a USB memory media.



Add fax functionality with Super G3 Fax Technology

Send and receive fax messages with the optional Super G3 Fax technology by installing the optional fax board. The fast speed dramatically reduces your telephone charges, and is ideal for sending multiple pages using the one-touch (up to 200 one-touch dials) or group dialing functions.

Fax Forwarding

You will never miss important faxes with Fax Forwarding. Incoming faxes can be configured to route automatically to your desired location.





Remote User Interface and eMaintenance

The inbuilt Remote UI (Remote User Interface) enables administrators to access machine functions and settings from a web browser on a computer. And with eMaintenance, administrators can keep track of consumables, device usage and reduce tedious administrative work such as manual meter reading and billing verifications automatically. All these translate to lower downtime and higher productivity.

* eMaintenance works with most Canon copiers, printers and multifunction devices. For more information on supported models, please contact Canon.

Device Authentication, usage accountability and secure printing solutions

Paired with uniFLOW solution, you can have greater control and management of the imageRUNNER 1700 series.

Print Management

Track print activities on the device, and generate reports for easy viewing and analysis.

Card Authentication

You can control access and prevent unauthorized users from using the device. Only users with a valid ID can access the device.

Secure Print and My-Print-Anywhere

This unique feature requires users to be physically present at the device to collect their output from any uniFLOW enabled device in the organization, for security and user convenience.



User sends print job



server until release









Print Release Prompt Screen

Document is released immediately upon authentication

A GREEN ENVIRONMENT

Canon designs multifunction devices with the environment in mind, aiming to reduce energy consumption when in use and ensuring ease and comfort of operation.

Energy Conservation

With Canon's RAPID Fusing System[™], imageRUNNERs are ready to print instantly, reduce high energy consumption and keep costs at a minimum. imageRUNNERs are certified as international ENERGY STAR[®] compliant.

Compliance with EU directive on RoHS (Restriction on Hazardous Substance)

At Canon, non-hazardous materials and green materials are used. As such you can be assured that with Canon products, your business and well-being are taken care of.





SPECIFICATION Canon imageRUNNER 1750i/1740i/1730i/1730

| Туре | Desktop | |
|--|---|--|
| Resolution for Reading | 600 dpi × 600 dpi | |
| Resolution for Writing | Copy: 600 dpi × 600 dpi | |
| Resolution for writing | Print: 1200 dpi × 1200 dpi | |
| Paper Weight | Paper Drawers 1, 3, and 4 | 64 g/m ² to 105 g/m ² |
| | Paper Drawer 2 | 64 g/m ² to 105 g/m ² |
| | Stack Bypass | 64 g/m ² to 128 g/m ² |
| Acceptable Originals | Sheet, Book, 3-dimensional objects (Up to approx. 30 mm or 2 kg) | |
| Maximum Original Size | A4 | |
| Paper Sizes | Paper Drawers 1, 3, and 4 | A4, A5, B5 |
| | Paper Drawer 2 | A4, A5, B5, Envelopes* ¹ (No.10 (COM10), ISO-B5, Monarch, ISO-C5, DL) |
| | Stack Bypass | Standard size: A4, A5, B5 Free size: 99 mm to 216 mm × 140 mm to 356 mm Envelopes (No.10 (COM10), ISO-B5, Monarch, ISO-C5, DL) |
| Warm-Up Time | 30 seconds or less | |
| First Copy Time | 5.0 seconds or less (A4, direct, Paper Drawer 1) | |
| Copy Speed (Sheets per minute) | imageRUNNER 1750i | A4→50, A5→25, B5→25 |
| | imageRUNNER 1740i | A4→40, A5→25, B5→25 |
| (Except when paper is fed from the stack bypass) | imageRUNNER 1730i/1730 | A4→30, A5→25, B5→25 |
| Paper Feeding System | Paper Drawers 1, 3, and 4 | 550 sheets (80 g/m ²) |
| | Paper Drawer 2 | 550 sheets (80 g/m ²) |
| | | 50 envelopes (or 30 mm or less in height)*1 |
| | Stack Bypass | 100 sheets (80 g/m ²) |
| Multiple Copies | 999 sheets | |
| Memory | imageRUNNER 1750i/1740i/1730i | 512 MB |
| | imageRUNNER 1730 | 256 MB |
| OS Compatibility | Windows XP Professional/Home Edition, Windows 2000, Windows Server 2003, Windows Vista, Windows Server 2008, Windows 7 | |
| Power Source | 220 - 240 V AC, 50/60 Hz, 5.0 A | |
| Max Power Consumption | 1.6 kW or less | |
| Dimensions (W × D × H) | 560 mm × 500 mm × 633 mm (with the feeder) | |
| | 941 mm × 960 mm (with no optional equipment attached) | |
| | 1,276 mm × 960 mm (with the optional Stapler Finisher-H1 attached) | |
| Weight | Approx. 44.3 kg | |
| Toner Yield (A4, 6% coverage) | Approx. 15,100 sheets | |
| Drum Yield | imageRUNNER 1750i | Approx. 112,000 sheets |
| | imageRUNNER 1740i | Approx. 97,000 sheets |
| | imageRUNNER 1730i/1730 | |

| FEEDER | | |
|---|--|--|
| Туре | Automatic Document Feeder | |
| Size of Originals | A4, A5, B5 | |
| Original Paper Weights | One-sided originals | 42 g/m ² to 128 g/m ² |
| | Two-sided originals | 50 g/m ² to 128 g/m ² |
| | Color originals | 64 g/m ² to 128 g/m ² |
| Tray Capacity | 100 sheets (80 g/m ²) | |
| | | |
| OPTIONAL ACCESSORII | ES | |
| CASSETTE MODULE-Y1 | | |
| Paper Sizes | A4, A5, B5 | |
| Paper Capacity | 550 sheets × 1 drawer (80 g/m ²) | |
| Power Source | From main unit | |
| Power Consumption | 20 W or less | |
| Dimensions (W × D × H) | 540 mm × 500 mm × 119 mm | |
| Weight | Approx. 7.7 kg | |
| STAPLER FINISHER-H1 | | |
| Paper Weight | 64 g/m ² to 128 g/m ² | |
| Capacity | Collate/Group/ No finish mode | 500 sheets (A4/A5/B5) |
| | Staple mode | 20 sets (A4/B5) |
| Max. Stapling Capacity/ Available Staple Size | 50 sheets (80 g/m ²) | |
| Available Staple Size | A4/B5 | |
| Available Offset Size | A4/B5 | |
| Power Source | From main unit | |
| Power Consumption | Approx. 50 W or less | |
| Dimensions (W × D × H) | 798 mm × 395 mm × 263 mm | |
| Weight | Approx. 10.5 kg | |
| OTHER ACCESSORIES A | ND SUPPLIES | |
| FL Cassette AP-1, PCL Print Color Send Kit-Z1, Searcha | er KIT-AL1, PS Printer Kit-AL1, E | em Upgrade RAM-C1, Drum Heater-D1, Staple-P1, Jarcode Printing Kit-B1, Super G3 Fax Board-AJ1, Ier-F1, Card Reader Attachment-C1, RBack, NPG-55 Drum Unit |

*1 The optional Envelope Cassette-D1 is required.

Canon

Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd. 1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632 Tel: +65-6799 8888 | Fax: +65-6799 8882 www.canon-asia.com

www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan: Megaplus Afghanistan Limited House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan Tel: 93-700 228 832 / 93-700 979 511 Fax: 93-202 201 259 Email: info@megaplus.com.af

Bangladesh:

Flora Limited Adamjee Court Annex-2 (4th Floor) 119-120 Motijheel Commercial Area Dhaka 1000 Bangladesh Tel: 880-2-716-2742-46 / 225 Fax: 880-2-955-0030 www.floralimited.com

Brunei: Brunei: Interhouse Company No. 5-7 Bunut Jaya Complex Spg 574 Jalan Tutong BF1320 P.O. Box 423, Seri Complex Bandar Seri Begawan BA 1779 Brunei Darussalam Tel: 673-2-653-001 Fax: 673-2-653-003

Cambodia: Royal Cambodia Co., Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel: 855-23-428955 Fax: 855-23-722961

Hong Kong: Canon Hongkong Co. Ltd 19F, The Metropolis Tower 10 Metropolis Drive Hunghom, Hong Kong Tel: 852-3191-2388 Fax: 852-2369-3800

India: Canon India Private Limited Carlo India Pirake Entried The Floor, Tower B, Building #5 DLF Cyber Terraces, DLF Phase-3 Gurgaon - 122002 Haryana, India Tel: 91-124-416 0000 Fax: 91-124-416 0001 Fax: 91-124-416 0011 www.canon.co.in

Indonesia:

PT Samafitro Jalan Ir. H Juanda No.8 Jakarta 10120, Indonesia Tel: 62-21-345 8989 Fax: 62-21-345 6699 www.samafitro.co.id

Malaysia: Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square Saujana Resort Section U2, Saujana Resort Section U2, 40150 Shah Alam Selangor Darul Ehsan, Malaysia Tel: 60-3-7844 6000 / 7845 0055 Fax: 60-3-7844 6196 / 6198 www.canon.com.my

Maldives: Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel: 960-333 4421 Fax: 960-333 4424

Myanmar:

Myanmar Golden Rock International Co., Ltd Level 6, FJV Commercial Centre No: 422-426, Strand Road Botataung Township Yangon, Myanmar Tel: 95-1-202092 to 96 Eax: 95-1-202079 Email: sales@mgr.com.mm

Nepal: International Electronics Concern (P) Ltd Kha 14, 1st Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, Nepal P.O. Box 12588 Tel: 977-1-442 1991 Fax: 977-1-442 1909

Philippines:

Tel: 632-884-9000 Fax: 632-556-1456

www.canon.com.ph

Metropolitan Office (Pvt) Ltd 12, Magazine Road Colombo 08 Sri Lanka Tel: 94-11-470 0200 Fax: 94-11-470 0267

Sri Lanka:

Pakistan: Shirazi Trading Company (Pvt.) Ltd Sinazi nading Company (rvk) tud 8^m Floor, Adamjee House I.I. Chundrigar Road Karachi 74000 Pakistan Tel: 92-21-3241 (7659), (7737) or (7746) Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418) waw chiczitradijas com pk www.shirazitrading.com.pk

Vietnam

Vietnam: Canon Singapore Pte Ltd Ho Chi Minh City Representative Office Floor 6, Saigon Centre Building 65 Le Loi, Ben Nghe Ward, District 1 Ho Chi Minh City, Vietnam Canon Marketing (Philippines), Inc. Ground Floor Commerce and Industry Plaza. Campus Ave. Cor. Park Ave., McKinley Hill Fort Bonifacio, Taguig City Tel· 848-3820 0466 Fax: 848-3820 0477

Thailand: Canon Marketing (Thailand) Co. Ltd

10th Floor Bangkok City Tower 179/34-45 South Sathorn Road Bangkok 10120

Tel: 66-2-344 9999 Fax: 66-2-344 9960 www.canon.co.th

Canon Singapore Pte Ltd Hanoi Representative Office CharmVit Building, 11th Floor

117 Tran Duy Hung, Cau Giay District Hanoi, Vietnam Tel: 844-3771 1677 Fax: 844-3771 1678 www.canon.com.vn

This document is for information purpose only. The contents are subject to change without notice.

Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks of their respective owners

uniFLOW is an independent party software distributed by Canon Singapore Pte. Ltd.